





MOTORCYCLES
MORE POWER
MORE FEATURES
MORE BANG FOR YOUR BUCK

MOTOS & QUADS 

Avd. 27 de Gener 1-C 25182 Aitona (Lleida)
Tel: 973 794 350 info@perendreu.es
www.perendreu.es



 Motos i Quads Perendreu
 @motosquadperendreu





250NK

MORE THAN YOUR AVERAGE COMMUTER.

CFMOTO 250NK is more than your average learner-approved commuter motorcycle. Powered by a punchy 250cc single cylinder, EFI engine with a six speed transmission geared for highway riding. The 250NK has an aggressive style all of its own and is sure to make your journey from A to B a hell of a lot more fun.

FEATURES

- ♦ 249.2cc single cylinder 4-stroke, 4-valve, DOHC with balance shaft
- ♦ 19.5kW / 9000 rpm and 22Nm of torque / 7500 rpm
- ♦ Bosch EFI for outstanding fuel economy & lower emissions
- ♦ 6 speed transmission capable of highway speeds
- ♦ Front and rear Spanish J.Juan hydraulic disc brakes
- ♦ Front upside down (USD) telescopic fork, rear mid mounted single shock
- ♦ Easy to read LCD display
- ♦ Switchable ride modes from sport to rain
- ♦ Lightweight – 151kg
- ♦ 795mm seat height
- ♦ New 12.5 L fuel tank design for better rider ergonomics
- ♦ Aggressive low slung headlight design and LED lights all round
- ♦ 2 Year, unlimited KM warranty

Midnight Black



Low slung headlight

250cc, 4-valve, DOHC engine

Single 300mm front disc





300NK ABS

300NK IS HERE.

Loaded with all the bells and whistles the 300NK is a seriously fun urban assault vehicle. Featuring an all new 300cc engine, full colour TFT display and Continental ABS brakes package. Modern design, sporty performance and extremely competitive ride away price the 300NK is sure to be a hit and a welcome addition to the growing CFMOTO Motorcycle family.

FEATURES

- ♦ 292.4cc single cylinder 4-stroke, 4-valve, DOHC with balance shaft
- ♦ 25kW @ 7200 rpm and 20.5Nm @ 8800 rpm
- ♦ Bosch EFI for outstanding fuel economy & lower emissions
- ♦ 6 speed transmission capable of highway speeds
- ♦ Front and rear Spanish J.Juan hydraulic disc brakes
- ♦ Continental ABS braking system
- ♦ Front upside down (USD) telescopic fork, rear mid mounted single shock
- ♦ Full colour TFT display
- ♦ Switchable ride modes from sport to rain
- ♦ Lightweight – 151kg
- ♦ 795mm seat height
- ♦ New 12.5 L fuel tank design for better rider ergonomics
- ♦ Aggressive low slung headlight design and LED lights all round
- ♦ 2 Year, unlimited KM warranty



Full colour TFT display



300cc, 4-valve, DOHC engine



Single 300mm front disc

Midnight Black





650NK ABS

BANG FOR BUCK.

More power, more value, more bang for your buck. The all in one LAMS approved package has it all. Plenty of power from its 650cc parallel twin, equipped with all the features including ABS and most importantly at a great CFMOTO price that is hard to beat.

FEATURES

- ◆ 649.3cc parallel twin 4 stroke, 8 valve, DOHC, counter balance
- ◆ 41.5kw/9,500rpm (LAMS Restricted) and 62NM at 7,000rpm
- ◆ Superior performance with Bosch EFI
- ◆ 6-speed transmission
- ◆ Spanish J.Juan hydraulic disc brakes.
Front twin disc, 300mm / Rear: single disc, 240mm
- ◆ Continental ABS braking system
- ◆ Front telescopic fork, rear cantilever monoshock
- ◆ Easy to read LCD Display
- ◆ Sports and economy map switch
- ◆ 795mm seat height
- ◆ 18 L fuel tank
- ◆ CST radial tyres for stability and sharper steering
- ◆ Enhanced acoustics with four cavity muffler
- ◆ Aggressive NK styling
- ◆ 2 Year, unlimited KM warranty



Aggressive NK styling

650cc parallel twin engine

Twin 300mm front discs brakes





650MT ABS

LIVE. RIDE. TRAVEL.

Based on the proven platform of the 650NK, the 650MT ABS is for the rider who prefers to take the long way home. Powered by CFMOTO's popular 650cc parallel twin engine with Bosch EFI, gives the MT a responsive and usable power band, perfect for a diverse range of riding and rider skill levels. Loaded with features to please the adventurer at heart, the 650MT ABS is the number one choice for budget focused traveller.

FEATURES

- ◆ 649.3cc parallel twin 4 stroke, 8 valve, DOHC, counter balance
- ◆ 41.5kw/9,500rpm (LAMS Restricted) and 62NM at 7,000rpm
- ◆ Superior performance with Bosch EFI
- ◆ 6 speed transmission
- ◆ Long travel USD front forks and cantilever rear shock for on or off road adventures
- ◆ Spanish J.Juan hydraulic disc brakes. Front twin disc, 300mm / Rear: single disc, 240mm
- ◆ Continental ABS braking system
- ◆ Large 18L fuel tank for extended range (400km)
- ◆ 840mm standard seat height or an optional extra 820mm low seat
- ◆ 170mm ground clearance
- ◆ Front/side & engine steel crash bar set as a standard feature
- ◆ Large windscreen, side wind deflectors and Integrated handguards
- ◆ USB charging port for GPS or smart phone
- ◆ 2 Year, unlimited KM warranty
- ◆ Panniers available as an optional extra



Large screen, defectors & handguards



650cc parallel twin engine



Front, side & engine crash bar set

Athens Blue Matte Titanium Grey





650GT ABS

THE GRAND TOURER.

Enjoy the rolling hills, twisting coastal roads or simply go for a blast with your mates. The 650GT ABS is ready to tour the open road. Powered by a 650cc parallel twin, all new colour TFT display, Continental ABS brakes, large adjustable sports touring screen and optional panniers for those last minute get aways. The 650GT ABS is the ultimate grand tourer package at an affordable CFMOTO price.

FEATURES

- ◆ 649.3cc parallel twin 4 stroke, 8 valve, DOHC, counter balance
- ◆ 41.5kw/9,500rpm (LAMS Restricted) and 62NM at 7,000rpm
- ◆ Superior performance with Bosch EFI
- ◆ 6 speed transmission
- ◆ Spanish J.Juan hydraulic disc brakes.
Front twin disc, 300mm / Rear: single disc, 240mm
- ◆ Continental ABS braking system
- ◆ KYB telescopic fork & rear canterlever KYB monoshock
- ◆ Full colour TFT display
- ◆ Large 17L fuel tank
- ◆ 795mm seat height
- ◆ Metzeler tyres
- ◆ Large adjustable sports windscreen
- ◆ USB charging port & 12 volt socket
- ◆ 2 Year, unlimited KM warranty
- ◆ Panniers available as an optional extra



Adjustable sports windscreen



650cc parallel twin engine



Twin 300mm front disc brakes

Concept Blue
 Nebula Black



SPECIFICATIONS

150NK



ENGINE TYPE	Single cylinder 4-stroke, 2-valve, SOHC
CAPACITY	149.4 cc
MAX POWER	10.7 KW / 9000 rpm
MAX TORQUE	12.2 NM / 6800 rpm
BORE & STROKE	57.0 x 58.6
COMPRESSION RATIO	10.5:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: Upside down telescopic fork Rear: Mid positioned monoshock
BRAKE SYSTEM	Front: Single Disc 292mm / Rear: Single Disc 220mm
ABS	-
WHEEL/RIM	Front: 17 x 2.5 Cast Aluminum Rear: 17 x 3.5 Cast Aluminum
TYRE	Front: 100/80 R17 CST / Rear: 130/70 R17 CST
DIMENSIONS (MM)	2025 X 770 X 1070
WHEELBASE (MM)	1360
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	5
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	775
FUEL (L)	10
WEIGHT (KG)	135
WARRANTY	2 YEAR, UNLIMITED KM
AVAILABLE COLOURS	White or Black & Teal

250NK



ENGINE TYPE	Single cylinder 4-stroke, 4-valve, DOHC with balance shaft
CAPACITY	249.2 cc
MAX POWER	19.5 KW / 9000 rpm
MAX TORQUE	22 NM / 7500 rpm
BORE & STROKE	72 x 61.2
COMPRESSION RATIO	11.3:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: Upside down telescopic fork Rear: Mid positioned monoshock
BRAKE SYSTEM	Juan hydraulic FR single disc 300mm / RR: single disc 245mm
ABS	-
WHEEL/RIM	Front: 17 x 3.5 Cast Aluminum Rear: 17 x 4 Cast Aluminum
TYRE	Front: 110/70 R17 CST / Rear: 140/60 R17 CST
DIMENSIONS (MM)	1990 X 780 X 1070
WHEELBASE (MM)	1360
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	4.7
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	795
FUEL (L)	12.5
WEIGHT (KG)	151
WARRANTY	2 YEAR, UNLIMITED KM
AVAILABLE COLOURS	Midnight Black

300NK



ENGINE TYPE	Single cylinder 4-stroke, 4-valve, DOHC with balance shaft
CAPACITY	292.4 cc
MAX POWER	25 KW / 7200 rpm
MAX TORQUE	20.5 NM / 8800 rpm
BORE & STROKE	78 x 61.2
COMPRESSION RATIO	11.3:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: Upside down telescopic fork Rear: Mid positioned monoshock
BRAKE SYSTEM	Juan hydraulic FR single disc 300mm / RR: single disc 245mm
ABS	Continental ABS braking system
WHEEL/RIM	Front: 17 x 3.5 Cast Aluminum Rear: 17 x 4 Cast Aluminum
TYRE	Front: 110/70 R17 CST / Rear: 140/60 R17 CST
DIMENSIONS (MM)	1990 X 780 X 1070
WHEELBASE (MM)	1360
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	4.7
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	795
FUEL (L)	12.5
WEIGHT (KG)	151
WARRANTY	2 YEAR, UNLIMITED KM
AVAILABLE COLOURS	Midnight Black

650NK



ENGINE TYPE	Two cyl. parallel 4-stroke, 8-valve, DOHC with counter balance
CAPACITY	649.3 cc
MAX POWER	41.5 KW / 9500 rpm (LAMS Restricted)
MAX TORQUE	62 N.m / 7000 rpm
BORE & STROKE	83 x 60
COMPRESSION RATIO	11.3:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: telescopic fork Rear: Cantilever monoshock
BRAKE SYSTEM	Juan hydraulic FR twin disc 300mm / RR: single disc 240mm
ABS	Continental ABS braking system
WHEEL/RIM	Front: 17 x 3.5 Cast Aluminum Rear: 17 x 4.5 Cast Aluminum
TYRE	Front: 120/70 ZR17 CST / Rear: 160/60 ZR17 CST
DIMENSIONS (MM)	2120 x 780 x 1100
WHEELBASE (MM)	1415
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	5.4
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	795
FUEL (L)	17
WEIGHT (KG)	193
WARRANTY	2 YEAR, UNLIMITED KM
AVAILABLE COLOURS	Athens Blue or Pearl White

650MT



ENGINE TYPE	Two cyl. parallel 4-stroke, 8-valve, DOHC with counter balance
CAPACITY	649.3 cc
MAX POWER	41.5 KW / 9500 rpm (LAMS Restricted)
MAX TORQUE	62 N.m / 7000 rpm
BORE & STROKE	83 x 60
COMPRESSION RATIO	11.3:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: Long travel upside down telescopic fork Rear: Cantilever monoshock
BRAKE SYSTEM	Juan hydraulic FR twin disc 300mm / RR: single disc 240mm
ABS	Continental ABS braking system
WHEEL/RIM	Front: 17 x 3.5 Cast Aluminum Rear: 17 x 4.5 Cast Aluminum
TYRE	Front: 120/70 ZR17 CST / Rear: 160/60 ZR17 CST
DIMENSIONS (MM)	2150 x 835 x 1332
WHEELBASE (MM)	1415
GROUND CLEARANCE (MM)	170
MIN TURN DIA (M)	5.4
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	840 - OPTIONAL 820 SEAT
FUEL (L)	18 (400km Range)
WEIGHT (KG)	213
WARRANTY	2 YEAR, UNLIMITED KM
AVAILABLE COLOURS	Athens Blue or Matte Titanium Grey

650GT



ENGINE TYPE	Two cyl. parallel 4-stroke, 8-valve, DOHC with counter balance
CAPACITY	649.3 cc
MAX POWER	41.5 KW / 9500 rpm (LAMS Restricted)
MAX TORQUE	62 N.m / 7000 rpm
BORE & STROKE	83 x 60
COMPRESSION RATIO	11.3:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: KYB telescopic fork Rear: Cantilever KYB monoshock
BRAKE SYSTEM	Juan hydraulic FR twin disc 300mm / RR: single disc 240mm
ABS	Continental ABS braking system
WHEEL/RIM	Front: 17 x 3.5 Cast Aluminum Rear: 17 x 4.5 Cast Aluminum
TYRE	Front: 120/70 ZR17 Metzeler / Rear: 160/60 ZR17 Metzeler
DIMENSIONS (MM)	2100 x 784 x 1340
WHEELBASE (MM)	1415
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	5.6
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	795
FUEL (L)	19
WEIGHT (KG)	226
WARRANTY	2 YEAR, UNLIMITED KM
AVAILABLE COLOURS	Concept Blue or Nebula Black



EXPERIENCE MORE TOGETHER

MOTOS & QUADS



PERENDREU

f Motos i Quads Perendreu
@motosiquadsparendreu

Avd. 27 de Gener 1-C 25182 Altona (Lleida)
Tel: 973 794 350 info@perendreu.es
www.perendreu.es



PROUDLY
DISTRUBTED BY

